

WorkCentre®
4250 / 4260
A4
Black and White
Multifunction System



Xerox WorkCentre® 4250 / 4260 Multifunction System

Productivity meets
affordability



WorkCentre® 4250 / 4260 Multifunction System

Accelerate office productivity with the Xerox WorkCentre 4250 / 4260.

It combines world-class copy, print, colour scan and fax capabilities with exceptional reliability and ease of use. It's ideal for the busy office that needs large departmental capabilities in a value packed A4 system.

Value through extensive features

The affordable WorkCentre 4250 / 4260 multifunction device is loaded with features to help you manage costs without sacrificing power.

- **Tailored to your business requirements.**

Configurations ranging from desktop to floor standing models that provide copy, print, scan, email and fax functions. Larger finishing capabilities include collation, stapling and paper input of up to 3,100 sheets.

- **Speed to handle heavy demand.** Copy and print as fast as 43/53 ppm, with the first page out in as little as 6 seconds.

- **Colour scan capabilities.** You can communicate quickly using colour via email or digital file distribution without the additional cost.

- **Usage counters** let you track and analyse device usage by function for greater cost control.

Easy to install, use and maintain

Unprecedented ease of use and reliability from a truly robust and integrated multifunction.

- **Network-ready.** Easy to install on Microsoft Windows, Apple Macintosh and Linux networks. New global print drivers from Xerox greatly simplify driver management.

- **Eases network management chores.** Enabled with remote device monitoring and troubleshooting, using CentreWare IS embedded web server and CentreWare Web, as well as third party management systems.

- **Walk-up ease of use.** Includes an intuitive icon-based colour touch screen with easy instructions and Help screens for copy, scan and fax jobs. You can print from a USB memory drive or scan and store for convenient printing later — no computer needed.

- **Keep confidential documents safe.** Password-protected secure print and encrypted hard disk ensure security.

- **Award-winning Xerox service and support.** Backed by a standard one-year on-site warranty.

Get everything you would expect on a powerful Xerox device, but get it in a small size at a small price!

Save Money

- Automatic two-sided copying and printing saves paper.
- Fax forward to email feature lets you avoid extra printing.
- Toner cartridge and imaging unit are separate consumables maximising the life of each.
- Consistent energy save mode reduces your utility bill.

Save Time

- Due to its small size, it can be located conveniently close to users.
- ID Card Copy scans both sides of an ID card and prints them face-up on a single sheet of paper.
- Its Print Around feature automatically holds any job missing resources (such as a different paper size), and prints the next job in the queue.
- Multiple functions can be accessed at the same time: scan while printing or receiving an inbound fax, and interrupt a print job to make a copy.

WorkCentre® 4250 / 4260 Quick Facts

- Copy and print up to 43 / 53 ppm
- Standard automatic two-sided copy/print
- 600 x 600 dpi printing (up to 1200 x 1200 enhanced image quality)
- 200,000 pages/month duty cycle (4250)
- 250,000 pages/month duty cycle (4260)
- 256 MB memory (expandable to 512 MB) plus 80 GB Hard Drive
- 100-sheet Duplex Automatic Document Feeder



Print / Copy / Scan / Fax / Email

216 x 356 mm

ppm



WxDxH: (4260XF)
1003 x 660 x 1168 mm

WorkCentre 4260XF with
finisher and 2,000-sheet
high-capacity feeder



So advanced, it's simple. The full-colour touch screen redefines walk-up ease-of-use. Whether printing, copying, scanning, faxing or emailing, the bright, colourful display guides you from start to finish with easily recognisable icons.

1 100-sheet Duplex Automatic Document Feeder scans two-sided documents in sizes up to 216 x 356 mm.

2 Full 216 x 356 mm platen glass allows you to scan legal-size documents without removing staples.

3 80 GB internal hard drive lets you handle more tasks at the device. Use the Save Print feature to keep frequently used documents available for quick printing on the go.

4 Advanced faxing capabilities include Embedded Fax and LAN Fax (for paperless faxing right from your desktop), plus Secure Fax Receive and Fax Forward to email.

5 USB direct printing/scanning lets you save to or print directly from any USB memory drive.

6 100-sheet bypass tray.

7 Standard 500-sheet tray.

8 Additional 500-sheet tray (standard on XF configuration).

9 2,000-sheet High Capacity Feeder (standard on the 4260XF configuration) boosts total paper capacity up to 3,100 sheets.

10 Finisher collates and staples sets of up to 50 pages. Available for both desktop and floor standing models.



Powerful scanning solutions

- **Scan to email.** Lets you route files to email recipients directly from the touch screen.
- **Network scanning.** Uses convenient templates to send scans to predefined locations.
- **Copy to hard drive.** Lets you copy files to the device's hard drive for easy retrieval.
- **Scan to USB.** Sends scanned images directly onto a portable USB storage device.



WorkCentre® 4250 / 4260 Configurations

WorkCentre 4250 Copier

- Automatic two-sided copy
- 600-sheet input capacity

WorkCentre 4250S / 4260S

- Automatic two-sided copy/print/scan
- Colour Scan to Email, Scan to Network, Scan to USB memory drive
- 600-sheet input capacity

WorkCentre 4250X / 4260X

- 4250S / 4260S plus:**
- Embedded Fax and LAN Fax

WorkCentre 4250XF / 4260XF

- 4250X / 4260X plus:**
- 4250XF: 2,100-sheet input capacity; 4260XF: 3,100-sheet input capacity
 - Finisher for 50-sheet stapling

Options

- 2,000-sheet High Capacity Feeder
- Additional 500-sheet trays
- Finisher for 50-sheet stapling
- Cabinet Stand
- 256 MB memory upgrade
- Network Accounting enablement
- Network Fax Server enablement

WorkCentre® 4250 / 4260



	4250 Copier only	4250S / 4260S	4250X / 4260X	4250XF	4260XF
Speed	4250: Up to 43 ppm (A4); 4260: Up to 53 ppm (A4)				
Duty Cycle	4250: Up to 200,000 pages / month; 4260: Up to 250,000 pages / month				
Device Memory (std / max)	256 MB / 512 MB plus standard 80 GB Hard Drive				
Paper Handling Paper input	Duplex Automatic Document Feeder: 100 sheets; Custom Sizes: 70 x 152 mm to 216 x 356 mm				
	Bypass Tray: 100 sheets; Custom sizes: 99 x 147 mm to 216 x 356 mm				
	Tray 1: 500 sheets; Custom sizes: 99 x 147 mm to 216 x 356 mm				
	Optional			Tray 2: 500 sheets	
	Optional			Tray 3: 500 sheets Tray 4: 500 sheets	High Capacity Feeder: 2,000 sheets
Paper output	500 sheets, automatic two-sided				
Finishing	Optional			Finisher: 500-sheet tray, 50-sheet stapling	
Print First-page-out-time	NA	4250: As fast as 8 seconds; 4260: As fast as 6 seconds			
Print resolution		600 x 600 dpi (1200 x 1200 enhanced image quality)			
Processor / PDL		500 MHz processor, PCL® 6/5e emulation, Adobe® PostScript® 3™ compatibility			
Connectivity	Direct connect via USB	USB 2.0, 10/100 Base-TX Ethernet			
Print features	Print from USB memory drive*	Custom page size, Watermark, Secure print, Sample set, Delayed print, Cover selection, Paper selection by attribute, Toner saver, N-Up, Image rotation, Saved settings, Booklet creation, Fit to new paper size, Collation, Print to/from Hard Drive, Print from USB memory drive			
Copy First-page-out-time	4250: As fast as 7 seconds; 4260: As fast as 5 seconds				
Copy resolution	600 x 600 dpi				
Copy features	Collation, Reduce/Enlarge 25 to 400%, Book copying, Mixed-size originals, Edge erase, Image shift, Booklet creation, Covers, Lighten/darken, Transparency Separators, Multi-Up, ID Card Copy, Copy to Hard Drive, Background suppression, Poster				
Fax	Optional		Embedded Fax, LAN Fax, Network Server Fax enablement (optional)		
Fax features	Optional		Colour Fax send, Address Book, Polling, Mailboxes, Forward to Fax / Email, Secure Fax		
Scan Scan destinations	Scan to USB memory drive*	Scan to Email, Network Scanning, Network Scan to TWAIN/WIA applications, Scan to USB memory drive			
Scan features	NA	File formats: PDF, JPEG, TIFF, multi-page TIFF; Scan to PC Desktop® Personal Edition (includes 1 seat of PaperPort®, OmniPage®, Image Retriever), Colour Scanning			
Accounting	NA	Xerox Standard Accounting (tracks copy, print, scan, fax), Network Accounting enablement (optional), supports optional Xerox Alliance Partner Solutions			
Security	Image Overwrite, Security, Secure Print via USB, Secure Fax**	Image Overwrite Security, Network Authentication, 802.1x, SNMPv3, Audit Log, HTTPS (SSL), Secure Print, Secure Fax, IPSec, Secure LDAP, IPv6, Xerox Secure Access***			
Warranty	One-year on-site				

*Enables standard print and scan features; **When Fax Kit is added; ***Without EIP functionality

Device Management

CentreWare® Internet Services, CentreWare Web, HP® WebJet Admin, Tivoli, Rendezvous

Print Drivers

Windows® 2000/2003 Server/XP/XP Pro, Vista, Mac OS® X 10.3+, Sun Solaris 9/10, SUSE®, Red Hat® ES, Fedora Core 4, IBM AIX 5, HP-UX 11.0/11i, Novell NetWare, SCO, Xerox Global Print Driver, Xerox Mobile Express Driver

Media Handling

50 – 200 gsm; Media types: Plain paper, envelopes, transparencies, labels, cardstock, postcards

Electrical

Power: 220–240 VAC, 50/60 Hz; Power consumption: Standby: 111 W, Printing: 794 W, Power save: 20 W
ENERGY STAR® qualified

Certifications

FCC Part 15, Class A, FCC Part 68, Listed UL 60950-1/CSA 60950-1-03, CE Mark applicable to Directives 2006/95/EC, 2004/108/EC and 1999/5/EC, Section 508 ADA

Operating Environment

Operating: 10° to 32° C; Storage: 20° to 40° C; Relative humidity: 20 to 80 %; Sound pressure levels: Printing: 54 dB(A), Standby: 39 dB(A); Warm up (from power save): First Print: As fast as 32 seconds; User Interface ready and programmable: 2 seconds; Warm up (from power on): First Print: 73 seconds (max); User Interface ready and programmable: 54 seconds (max)

Dimensions (WxDxH)

4250 Copier/4250S/4260S: 622 x 483 x 648 mm; Weight: 44 kg; **4250X/4260X:** 622 x 483 x 648 mm; Weight: 44.5 kg; **4250XF/4260XF:** 1003 x 660 x 1168 mm; Weight: 93 kg

What Comes In The Box

- WorkCentre 4250/4260
- Toner Cartridge (12,000 print capacity)¹
- Drum Cartridge (80,000 yield)²
- Software and Documentation CD (with User Manual, Quick Installation Guide and Warranty Statement)
- Fax phone cord (4250X/4260X and 4250XF/4260XF)
- Power cord

Supplies and Options

Toner Cartridge (approx. 25,000) ¹	106R01410
Drum Cartridge (approx. 80,000 pages) ²	113R00755
Maintenance Kit (200,000 pages) ²	115R00064
Network Accounting Kit	098S04928
Network Fax Server Kit	098S04931
Fax Kit (1-Line)	097N01686
256 MB Memory	098N02200
500-sheet Paper Tray	097N01524
Cabinet Stand (with storage) ³	097S03677
Cabinet Stand (without storage) ⁴	097S03678
2000-sheet High-Capacity Feeder	097N01684
Integrated Finisher (50-sheet, 50-sheet stapler)	097N01715
Staple Cartridge	008R12941
Foreign Device Interface	097N01676

¹ Average standard pages. Declared Yield in accordance with ISO/IEC 19752.

² Yield will vary based on image, area coverage and media used. Average standard pages. Yield will vary depending on job run length, media size and orientation.

³ Requires three additional 500-sheet paper trays

⁴ Requires one additional 500-sheet paper tray



For more information, visit us at www.xerox.com/office

© 2009 Xerox Corporation. All rights reserved. Contents of this publication may not be reproduced in any form without permission of Xerox Corporation. XEROX®, CentreWare®, WorkCentre® and the sphere of connectivity design are trademarks of Xerox Corporation in the U.S. and/or other countries. Adobe® and PostScript® 3™ are registered trademarks or trademarks of Adobe Systems, Incorporated. PCL® is a registered trademark of Hewlett-Packard. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. 2/09 W60BR-011D

